SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

SECTION 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF SUPPLIER

1.1 Product Identifier

Product name: SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Recommended use:</u> antibacterial liquid hand soap <u>Uses advised against</u>: No Information available

1.3 Manufacturer:

CosLab Sp.z o.o

Ul. Zacisze 6

31-156 Kraków

E-mail address of the person responsible for developing the safety data sheet: kontakt@coslab.pl

1.4 Emergency telephone number

Emergency: 112

SECTION 2. HAZARDS IDENTYFICATIONS

2.1 Classification of the substance or mixture

Hazards	CLP Classification - Regulation (EC) No 1272/2008
Physical hazards	Flam. Liq. 2, H225
Health hazards	Eye Irrit 2, H319
Health hazards	Skin Irrit 2, H315
Environmental hazard	Aquatic Chronic 3, H412

2.2 Label elements



Hazards pictograms: Signal word: Danger

<u>Hazard statements</u>: Highly flammable liquid and vapour. Causes eye irritation. Causes skin irritation. Harmful to aquatic life with long-lasting effects.

<u>Precautionary statements</u>: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Wash your hands thoroughly after use. Wear protective gloves/protective clothing/eye protection/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue to rinse. IF ON SKIN (or hair): Take off immediately all

Date of issue: 17.03.2020 Date of revision:- Version: 1.0

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

contaminated clothing. Rinse skin with water / shower. Store in a well-ventilated place. Keep in a cool place. Keep away from children.

2.3. Other hazards

No information available

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Substances

Component	CAS-No	WE-No	Index- No	Weight [%]	CLP Classification - Regulation (EC) No 1272/2008
Ethanol	64-17-5	200-578-6	603-002-0-5	≥73.00	Flam. Liq. 2, H225 Eye Irrit 2, H319
Aqua	7732-18-5	231-791-2	-	ad 100	Not classified
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8	-/ 01- 2119488639- 16-XXXX	5-15	Skin Irrit 2, H315 Eye Dam 1, H318 Aquatic Chronic 3, H412
Propane-1,2-diol	57-55-6	200-338-0	-	2-4	Not classified
Hydroxyethylcellulose	-	-	-	0.2-0.9	Not classified
2-phenoxyetanol	122-99-6	204-589-7	603-098-00-9/ 01- 2119488943-21	0.25-0.5	Acute Tox. 4, H302 Eye Irrit. 2, H319
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	270-325-2	-	0.05-0.1	Acute Tox. 4 H302, Skin Corr. 1B H314, Aquatic Acute 1 H400 (M = 1), Aquatic Chronic 1 H410 (M = 1)
(6E)-3,7-dimethylnona-1,6-dien- 3-ol	10339-55-6	233-732-6	-/ 01- 2119969272- 32-0000	0.0375- 0.075	Skin Irrit 2, H315 Eye Irrit 2, H319
2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4	-/01- 2119457274- 37-0008)	0.025-0.05	Skin Irrit 2, H315 Eye Irrit 2, H319
Hexyl 2-hydroxybenzoate	6259-76-3	228-408-6	-/01- 2119638275- 36-XXXX	0.025-0.05	Skin Sens. 1, H317 Aquatic Chronic 1, H410
Tetrahydro-4-methyl-2-(2- methylpropyl)- 2Hpyran-4-ol	63500-71-0	405-040-6	-/01- 2119455547- 30-000	0.0125- 0.025	Eye Irrit 2, H319
3-Methyl-5-phenylpentanol	55066-48-3	259-461-3	-/01- 2119969446- 23-XXXX	0.0125- 0,025	Acute. Tox. 4, H302 STOT RE 2 ,H373

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

2,4-dimethylcyclohex-3-ene-1- carbaldehyde	68039-49-6	268-264-1	-/ 01- 2119982384- 28-XXXX	0.005	Skin Irrit 2, H315 Skin Sens. 1, H317 Eye Irrit 2, H319 Aquatic Chronic 3, H412
---	------------	-----------	----------------------------------	-------	---

Full text of Hazard Statements: see section 16

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open Loosen tight clothing such collar, belt or airway. as а tie, Skin contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Ingestion: DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

- 4.2 Most important symptoms and effects, both acute and delayed
 - Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
- 4.3. Indication of any immediate medical attention and special treatment needed Consult a physician. Treat symptomatically

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Flammable. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products)

Carbon oxides expected to be the primary hazardous combustion product.

5.3. Advices for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

6.1 Personal precautions, protective equipment and emergency procedures

Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental precautions:

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed

6.4 Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use

Follow the instructions for use.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Ethanol

Data for WORKERS

INHALATION Exposure	Threshold	Most sensitive study			
Systemic Effects	Systemic Effects				
Long-term:	(DNEL) 950 mg/m ³	-			
Acute /short term:	No hazard identified				
Local Effects					
Long-term:	No hazard identified				
Acute /short term:	(DNEL) 1 900 mg/m ³	irritation (respiratory tract)			

DERMAL Exposure	Threshold	Most sensitive study			
Systemic Effects	Systemic Effects				
Long-term:	(DNEL) 343 mg/kg bw/day	repeated dose toxicity			
Acute /short term:	No hazard identified				
Local Effects					
Long-term:	No hazard identified				
Acute /short term:	No hazard identified				

Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 114 mg/m ³	carcinogenicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	No hazard identified			
Acute /short term:	(DNEL) 950 mg/m ³	irritation (respiratory tract)		
DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	(DNEL) 206 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	No hazard identified			
Acute /short term:	No hazard identified			
ORAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 87 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	No hazard identified			

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Data for WORKERS

2444.10. 11.01.11.2.10				
INHALATION Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 175 mg/m³	repeated dose toxicity		
Acute /short term:	Hazard unknown (no further information necessary)			
Local Effects				
Long-term:	Hazard unknown (no further information necessary)			
Acute /short term:	Hazard unknown (no further information necessary)			
DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 2 750 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	(DNEL) 132 μg/cm²	repeated dose toxicity		
Acute /short term:	(Low hazard (no threshold derived))	-		
EYE Exposure				
Medium hazard (no threshold derived)				

Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	(DNEL) 52 mg/m ³	repeated dose toxicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	Hazard unknown (no further information necessary)			
Acute /short term:	Hazard unknown (no further information necessary)			

DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 1 650 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	(DNEL) 79 μg/cm²	repeated dose toxicity		
Acute /short term:	(Low hazard (no threshold derived))	-		
ORAL Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	(DNEL) 15 mg/kg bw/day	effect on fertility		
Acute /short term:	No hazard identified			
EYE Exposure				
Medium hazard (no threshold derived)				

Propane-1,2-diol

Data for WORKERS

INHALATION Exposure	Threshold	Most sensitive study			
Systemic Effects	Systemic Effects				
Long-term:	(DNEL) 168 mg/m³	repeated dose toxicity			
Acute /short term:	No hazard identified				
Local Effects					
Long-term:	(DNEL) 10 mg/m ³	repeated dose toxicity			
Acute /short term:	No hazard identified				
DERMAL Exposure	Threshold	Most sensitive study			
Systemic Effects					
Long-term:	No hazard identified				
Acute /short term:	No hazard identified				
Local Effects					
Long-term:	No hazard identified				

Acute /short term:	No hazard identified	
EYE Exposure		
No hazard identified		

Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	(DNEL) 50 mg/m ³	repeated dose toxicity		
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	(DNEL) 10 mg/m ³	repeated dose toxicity		
Acute /short term:	No hazard identified			
DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	No hazard identified			
Acute /short term:	No hazard identified			
Local Effects				
Long-term:	No hazard identified			
Acute /short term:	No hazard identified			
ORAL Exposure	Threshold	Most sensitive study		
Systemic Effects	Systemic Effects			
Long-term:	No hazard identified			
Acute /short term:	No hazard identified			
EYE Exposure				
No hazard identified				

2-phenoxyethanol

Data for WORKERS

INHALATION Exposure	Threshold	Most sensitive study	

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

Systemic Effects				
Long-term:	(DNEL) 8.07 mg/m ³	repeated dose toxicity		
Acute /short term:	-	-		
Local Effects				
Long-term:	(DNEL) 8.07 mg/m ³	repeated dose toxicity		
Acute /short term:	-	-		
DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 20.83 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	-	-		
Local Effects				
Long-term:	-	-		
Acute /short term:	-	-		
EYE Exposure				

Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 2.41 mg/m ³	repeated dose toxicity		
Acute /short term:	-	-		
Local Effects				
Long-term:	(DNEL) 2.41 mg/m ³	repeated dose toxicity		
Acute /short term:	-	-		
DERMAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 10.42 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	-	-		
Local Effects				

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

Long-term:	-	-		
Acute /short term:	-	-		
ORAL Exposure	Threshold	Most sensitive study		
Systemic Effects				
Long-term:	(DNEL) 9.23 mg/kg bw/day	repeated dose toxicity		
Acute /short term:	(DNEL) 9.23 mg/kg bw/day	repeated dose toxicity		
EYE Exposure				

8.2 Exposure controls

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

Personal protective equipment:

Respiratory protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly.

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Skin and body protection: Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Environmental exposure controls:

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid Color colorless

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

Odor characteristic pH not available

Boiling point 78 °C

Flash point not available
Evaporation rate not available
Lower and upper explosive not available

(flammable) limits

Vapor pressure not available
Vapor density not available
Relative density not available
Solubility not available
Partition coefficient: noctanol/water not available
Auto-ignition temperature not available

Viscosity <0.205 cm²/s (40 °C)
Explosive properties no information available
Oxidizing properties no information available

9.2 Other information

_

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong Oxidizing agents

10.6 Hazardous decomposition products

None under normal use conditions

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

Ethanol

Oral

LD50 1 187 - 15 010 mg/kg bw (rat)

Date of issue: 17.03.2020 Date of revision:- Version: 1.0

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

LD50 7 800 - 22 500 mL/kg bw (rat) LD50 8 300 mg/kg bw (mouse) Inhalation LC50 (6 h) 82.1 - 92.6 mg/L air (rat) LC50 (4 h) 115.9 - 133.8 mg/L air (rat) LC50 (60 min) 60 000 ppm (mouse) 2-phenoxyethanol Oral LD50 1 840 - 4 070 mg/kg bw (rat) Dermal LD50 14 391 mg/kg bw (rat) LD50 2 214 mg/kg bw (rabbit) Alcohols, C12-14, ethoxylated, sulfates, sodium salts Oral LD50 (szczur) > 2000mg/kg Dermal LD50 (szczur) > 2000mg/kg SECTION 12. ECOLOGICAL INFORMATION 12.1 Toxicity Ethanol **Acute Fish Toxicity** LC50 / 96 hours Oncorhynchus mykiss: 42 mg/L Toxicity to Aquatic Plant. LC50 / 72 hours Artemia sp. 25.5 mg mg/L Toxicity to Microorganisms NOEC/ 48 hours Activated sludge < 6.3 g/L 2-phenoxyethanol

Short-term toxicity to fish LC50 (4 days) 220 - 460 mg/L LC0 (4 days) 220 mg/L LC100 (4 days) 460 mg/L NOEC (4 days) 100 mg/L

Short-term toxicity to aquatic invertebrates

EC50 (48 h) 500 mg/L EC0 (48 h) 500 mg/L

Toxicity to aquatic algae and cyanobacteria

Date of issue: 17.03.2020 Date of revision:-Version: 1.0

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

EC50 (72 h) 443 - 625 mg/L NOEC (72 h) 70 - 500 mg/L EC10 (72 h) 159 - 333 mg/L EC20 (72 h) 500 mg/L EC90 (72 h) 500 mg/L

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Acute Fish Toxicity
CL50 0,28 mg/l/96h, NOEC 0.032 mg/l
Toxicity to Aquatic Plants
CE50 0.016 mg/l
Toxicity to Microorganisms
CE50 0.016 mg/l, NOEC 0.0042 mg/l

12.2 Persistence and degradability

No data availaible

12.3 Bioaccumulative potential

No data availaible

12.4 Mobility in soil

No data availaible

12.5 Results of PBT and vPvB assessment

No data available for assessment

12.6 Other adverse effects

No data availaible

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material

SECTION 14. TRANSPORT INFORMATION

14.1 UN Number: 1170

14.2 UN proper shipping name: ETHANOL

14.3 Transport hazard class(es): 3

14.4 Packing group: II

14.5 Environmental hazards: YES

14.6 Special precautions for user: No special precautions required

Date of issue: 17.03.2020 Date of revision:- Version: 1.0

SEPTEX ANTIBACTERIAL LIQUID HAND SOAP

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable, packaged goods

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this/these products

SECTION 16. OTHER INFORMATION

Full text of H-Statements and abrevation referred to under sections 2 and 3:

H225- Highly flammable liquid and vapour.

H302- Harmful if swallowed

H315- Causes skin irritation

H317- May cause an allergic skin reaction

H318- Causes serious eye damage

H319- Causes serious eye irritation

H373- May cause damage to organs through prolonged or repeated exposure

H410- Very toxic to aquatic life with long-lasting effects

H412- Harmful to aquatic life with long-lasting effects

Eye Irrit.2- Eye iritation, category 2

Flam. Liq.2-Flammable liquid, category 2

Skin Irrit.2- Skin irritation, category 2

Eye Dam 1-Eye dammage, category 1

Aquatic Chronic 1,3- Aquatic chronic toxicity, category 1,3

Acute Tox 4- Acute toxicity, category 4

Skin Sens 1-Skin sensation, category 1

STOT RE 2- Specific target organ toxicity - repeat exposure, category 2

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

Date of issue: 17.03.2020 Date of revision:- Version: 1.0